

**Kills
the Root!**

MONEY BACK GUARANTEE†

25% More THAN 32 OZ
CONCENTRATE

Spectracide®



WEED & GRASS KILLER

CONCENTRATE₂

Herbida concentrado para pasto y maleza₂

Visible Results as Fast as 3 Hours

Makes ¹/₁₀ 13 Gallons • Rainfast in 15 Minutes!

Use on patios, walkways & flower beds

17-14269

Active Ingredients:
Diquat dibromide 2.30%
Fluazifop-p-butyl 1.15%
Dicamba*, Dimethylamine salt .. 0.77%
Other Ingredients 95.78%
*0.054 lb Dicamba acid equivalent per gallon or 0.63%

KEEP OUT OF REACH OF CHILDREN
WARNING See back booklet for additional
precautionary statements.

†For terms of guarantee, see back panel.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

ADVERTENCIA Consulte el folleto en la parte posterior para
conocer las declaraciones preventivas adicionales.

Net 40 fl oz (1 qt 8 fl oz/1.1 L)



**MIX WITH
WATER**

- Mantenga la zona húmeda durante 2 semanas para que el césped nuevo se establezca; después riegue cuando sea necesario.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Guarde este producto solo en su envase original en un lugar de almacenamiento seguro lejos de fuentes de calor o del fuego. No permita que el producto se congele. **Eliminación del pesticida y manipulación del envase:** Envase no rellenable. No vuelva a usar ni a rellenar este envase, excepto como se indica en el modo de empleo. **Si está vacío:** Tirelo en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

ADVERTENCIA. Causa irritación de la piel. Causa irritación moderada a los ojos. Evite el contacto con la piel o la ropa. Evite el contacto con los ojos. Use guantes resistentes a los productos químicos hechos de cualquier material impermeable. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chiclé, usar tabaco o usar el baño. Quítese la ropa contaminada y lávela antes de volverla a usar.

Primeros Auxilios

Si entra en contacto con la piel o la ropa:	<ul style="list-style-type: none"> • Quítese la ropa contaminada. • Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si entra en contacto con los ojos:	<ul style="list-style-type: none"> • Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de urgencia.



STOP READ ENTIRE LABEL BEFORE USE.
ALTO. LEA TODA LA ETIQUETA
ANTES DE USAR.

PEEL HERE
RESEALABLE LABEL
ABRA AQUÍ
ETIQUETA RESELLABLE

WEED & GRASS KILLER

CONCENTRATE₂

Herbicide concentrado
para pasto y maleza.

WORKS THE FIRST TIME, EVERY TIME



Rainfast in
15 Minutes!



Treats up to
4,000 sq ft



Makes up to
13 Gallons



Kills the Root!

PRODUCT FACTS

WHAT IT DOES:

Kills all types of weeds and grasses down to the root!

WHERE TO USE:

Outdoors: On patios, walkways and driveways; around flowers, shrubs and trees; along fences and foundations; and in large areas.

WHEN TO USE:

For best results, apply during warm, sunny weather (above 60°F).

AMOUNT TO USE:

For best results: 7 fl oz (14 Tbsp) per gallon of water

General weed control (annuals): 5 fl oz (10 Tbsp) per gallon of water

Newly emerged weeds: 3 fl oz (6 Tbsp) per gallon of water

QUESTIONS & COMMENTS:

Call 1-800-917-5438 or visit our website at www.spectracide.com

*GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Distributed by Spectrum Group
Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-265-8845

EPA Est. Nos. 9688-MO-1(U), 39754-WI-1(R),

79533-WI-1(BT), 58996-MO-1(AE), 11623-GA-1(CK),

11623-GA-3(CN), 39609-MO-1(BM)

Circled letter is first letter of lot number.

17-14278 © 2011 UIC

PROOF OF PURCHASE

FPO UPC

0 71121 56009 4

**KILLS THE FOLLOWING WEEDS AND GRASSES INCLUDING: /
MATA LAS SIGUIENTES MALEZAS Y PASTOS INCLUYENDO:**

Annual weeds and grasses: / Malezas y pastos anuales:

- | | | | |
|------------------------|------------------------|--------------------------|---|
| • annual bluegrass | • crabgrass | • ironweed | • smartweed |
| • annual ryegrass | • creeping | • knotweed | • smooth cat's ear |
| • barnyardgrass | • beggarweed | • lambsquarters | • smooth pigweed |
| • beggarweed | • diffuse lovegrass | • little bitter cress | • sowthistle |
| • black medic | • dog fennel | • London rocket | • spotted spurge |
| • blue medic | • evening primrose | • maiden cane | • sprangletop |
| • blue mustard | • fall panicum | • mallow | • spurges |
| • blue toadflax | • false dandelion | • mayweed | • tansy mustard |
| • brass buttons | • fennel | • mouseear | • tansy ragwort |
| • brome grass | • fiddleneck | • chickweed* | • teasweed |
| • bur clover | • field pennycress | • oxalis* | • Texas panicum |
| • buttercup | • field sandbur | • Pennsylvania smartweed | • tumble mustard |
| • chessweed | • filaree | • pennywort | • velvetleaf |
| • chickweed | • Florida pusley | • pigweed | • wild geranium* |
| • clover | • foxtail | • prickly lettuce | • wild mustard |
| • common groundsel | • garden spurge | • prostrate spurge | • witch grass |
| • common lambsquarters | • goosegrass | • puncture vine | • yellow nutgrass |
| • common plantain | • green foxtail | • purslane | • yellow oxalis |
| • common ragweed | • hemp sesbania | • redroot pigweed | (and many other annual grasses and weeds) |
| | • henbit | • sandspur | |
| | • horseweed/ marestail | • shepherdspurge | |

Perennial weeds, grasses, brush: / Malezas, pastos, matorrales perennes:

- | | | | |
|----------------------|-------------------|-----------------------|----------------------|
| • alder | • curly dock | • mouseear | • St. Augustinegrass |
| • artichoke thistle | • dallisgrass | • chickweed* | • tall fescue |
| • bahiagrass | • dandelion | • nimblewill | • tansy ragwort |
| • barnyardgrass | • dewberry | • nutgrass (nutsedge) | • Timothy |
| • bentgrass | • dog fennel | • oldenlandia | • torpedograss |
| • Bermudagrass | • false dandelion | • orchardgrass | • trumpet creeper |
| • bluegrass | • fescue species | • oxalis* | • vaseygrass |
| • broadleaf plantain | • field bindweed | • pampasgrass | • Virginia creeper |
| • brownseed | • guineagrass | • hairy crabgrass | • white clover |
| • paspalum | • horsetail | • horseradish | • whittop |
| • buckhorn plantain | • iceplant | • Johnsongrass | • wild barley |
| • bull thistle | • Kentucky | • bluegrass | • wild blackberry |
| • Canada thistle | • kikuyograss | • knapweed | • wild carrot |
| • cattail | • knapweed | • knawel | • wild morningglory |
| • ceanothus | • knawel | • lantana | • wild oats |
| • centipede grass | • milkweed | • milkweed | • yarrow |
| • cocklebur | • milkweed | • milkweed | • yellow nutgrass |
| • cogongrass | • milkweed | • milkweed | • yellow starthistle |
| • common mullein | • milkweed | • milkweed | • zoysia |
| • common ragweed | • milkweed | • milkweed | |
| • coral bead | • milkweed | • milkweed | |
| • creeping Charlie | • milkweed | • milkweed | |

* annual or perennial

STOP Read Entire Label Before Use

Environmental Hazards • This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to enter the treated area until sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.

MIXING INSTRUCTIONS

Tank Sprayer (plastic, aluminum or stainless steel)

- Add appropriate amount of concentrate to 1 gal of water.
- Spot treat or spray evenly over 300 sq ft.

Dial-Type Hose-End Sprayer

- Set sprayer to the "fl oz/gallon" level specified in the directions.
- Use only enough product for the area to be treated.
- Close sprayer, attach to hose and apply.

Concentrate Plus Water Type Sprayer

- Determine the amount of concentrate required.
- Pour concentrate into sprayer jar to the required "fl oz" level.
- Add the required amount of water to the "gallons" level.
- Replace sprayer top on jar and apply.

Step 1: Use a clean sprayer. Carefully measure and mix the amount of product and water as directed. Food utensils such as teaspoons and measuring cups must not be used for food purposes after use with pesticides.

Step 2: Spray as directed. Thorough coverage is important. Flush sprayer with clean water after each use.

AMOUNT TO USE: To kill newly emerged weeds: 3 fl oz (6 Tbsp) per gallon of water treats 300 sq ft.

For general weed control: 5 fl oz (10 Tbsp) per gallon of water treats 300 sq ft.

For best results: 7 fl oz (14 Tbsp) per gallon of water treats 300 sq ft.

1 Tbsp = 3 tsp 1 fl oz = 2 Tbsp

HOW TO APPLY

- Completely cover the leaves of the target vegetation. Do not overspray.
- A single application controls most weeds.

- Most treated weeds usually show initial symptoms within 24 hours and complete kill in one to two weeks.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- Do not mow, cut or otherwise disturb treated weeds for at least seven days following application.
- Do not use on or around edible feed or food crops.
- Do not make more than two applications per year to any given area.

WHEN TO APPLY

- For best results, apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **one day after** application.

WHERE TO USE

GENERAL WEED CONTROL: Use along fences, paths, patios, sidewalks, curbs and driveways and around ornamental trees, shrubs, flower beds, plantings and buildings. Use for trimming and edging landscapes. **Do NOT use for spot weed treatment in lawns, since Spectracide® Weed & Grass Killer Concentrate, kills all green plants, including lawn grasses.**

SPOT TREATMENTS: Spray directly on actively growing weeds in and around flower beds, ornamental trees, shrubs, fences, driveways and walkways.

LANDSCAPES: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted one day after treatment.

FOR LAWN RENOVATION/REPLACEMENT:

1. Determine size of area to be treated — measure length and width in feet, then multiply to determine coverage area in square feet (length x width).
2. Use this product to remove the old lawn and existing weeds and grasses.
3. For best results, apply in spring or fall, when daytime temperatures are at least 60°F.
4. If the lawn is dry, water lawn every other day for a week before applying this product.
5. Do not mow for seven days before or after treatment.
6. Use 7 fl oz (14 Tbsp) per gallon of water for each 300 sq ft of area to be treated.

TIPS FOR REPLANTING

- Wait seven days after last application to rake, till or replant with seed or sod.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for two weeks to establish new lawn, then water as needed.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container, except as described in the directions for use. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes. Wear chemical-resistant gloves made out of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid

If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.



Lea toda la etiqueta antes de usar

Riesgos para el medio ambiente • Este pesticida es tóxico para los invertebrados acuáticos. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipe lluvia en las siguientes 24 horas asegurará que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. *Sólo para uso residencial al aire libre.*



No permita que las personas ni las mascotas entren en la zona tratada hasta que los rocíos se hayan secado.

LIMITACIONES DE APLICACIÓN

No aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. Mantenga a las personas y las mascotas fuera de la zona durante la aplicación.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

La ropa y el equipo de protección expuestos a este producto se deben lavar con detergente y agua caliente. Dichas prendas se deben guardar y lavar por separado.

INSTRUCCIONES PARA LA MEZCLA

Rociador con tanque (plástico, aluminio o acero inoxidable)

- Agregue la cantidad adecuada de concentrado a 1 galón de agua.
- Aplique el tratamiento localizado o rocíe uniformemente sobre 300 pies cuadrados.

Rociador con aplicador tipo manguera con selector

- Ajuste el rociador al nivel de "onza líquida/galón" especificado en las instrucciones.
- Use sólo la cantidad de producto adecuada para la zona que se va a tratar.
- Cierre el rociador, conecte a la manguera y aplique.

Rociador para concentrado y agua

- Determine la cantidad necesaria de concentrado.
- Vierta el concentrado dentro de la jarra del rociador hasta el nivel necesario de "onza líquida."
- Agregue la cantidad necesaria de agua hasta el nivel de "galones."
- Vuelva a colocar la tapa del rociador en la jarra y aplique.

Paso 1: Use un rociador limpio. Mida y mezcle cuidadosamente la cantidad de producto y de agua como se indica. No debe utilizarse utensilios para alimentos tales como cucharitas y tazas de medir para preparar alimentos después de usarlos con pesticidas.

Paso 2: Rocíe como se indica. Es importante que la cobertura sea completa. Enjuague bien el rociador con agua limpia después de cada uso.

CANTIDAD A USAR: Para matar malezas que recién aparecieron: 3 onzas líquidas (6 cdas. soperas) por galón de agua para tratar 300 pies cuadrados.

Para el control general de malezas: 5 onzas líquidas (10 cdas. soperas) por galón de agua para tratar 300 pies cuadrados.

Para obtener mejores resultados: 7 onzas líquidas (14 cdas. soperas) por galón de agua para tratar 300 pies cuadrados.

1 cda. sopera = 3 cdtas. 1 onza líquida = 2 cdas. soperas

CÓMO APLICAR

- Cubra completamente las hojas de la vegetación que tiene como objetivo. No rocíe en exceso.
- Una sola aplicación controla la mayoría de las malezas.
- En general, la mayoría de las malezas tratadas muestran los primeros síntomas en el plazo de 24 horas y la eliminación completa tiene lugar en 1 a 2 semanas.
- Proteja todas las plantas deseables con un trozo de plástico o cartón.
- Si las plantas deseables se rocían accidentalmente, lávelas inmediatamente con agua.

- No corte, ni altere de ninguna otra manera las malezas tratadas durante por lo menos 7 días después de la aplicación.
- No lo use en alimentos para animales ni en cultivos comestibles ni a su alrededor.
- No haga más de 2 aplicaciones por año en ninguna zona.

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique el producto cuando el clima esté cálido y soleado (temperaturas superiores a 60°F), cuando las malezas se encuentren en la etapa de desarrollo activo y no se pronostiquen lluvias por 24 horas. La lluvia o el riego después de los 15 minutos de la aplicación no reduce la eficacia.
- Aplique cuando no haya viento para evitar el arrastre hacia plantas deseables.

CUÁNDO PLANTAR DE NUEVO

- Todas las flores ornamentales, árboles y arbustos se pueden plantar **1 día después** de la aplicación.

DÓNDE USAR

CONTROL GENERAL DE MALEZAS: Úselo a lo largo de cercas, senderos, patios, aceras, rebordes de aceras y caminos de entrada de automóviles, alrededor de árboles ornamentales, arbustos, lechos de flores, plantaciones y alrededor de edificios. Úselo para el recorte y bordeado de jardines. **NO lo utilice en céspedes para el tratamiento localizado de malezas, ya que el Herbicida concentrado para pasto y maleza₂ de Spectracide® mata a todas las plantas verdes, incluyendo a los céspedes.**

TRATAMIENTOS LOCALIZADOS: Rocíe directamente las malezas que se encuentren en la etapa de crecimiento activo y alrededor de lechos de flores, árboles ornamentales, arbustos, cercas, caminos de entrada de automóviles y senderos.

JARDINERÍA ORNAMENTAL: Para usar en la preparación de superficies para cultivar plantas ornamentales, árboles, arbustos, paisajes con plantas del desierto, jardines de piedras, lechos de flores o plantaciones similares. Las zonas tratadas se pueden replantar 1 día después del tratamiento.

PARA RENOVACIÓN O REPOSICIÓN DEL CÉSPED:

1. Determine el tamaño del área que se va a tratar; mida el largo y el ancho en pies y después multiplique para determinar el área de cobertura en pies cuadrados (largo por ancho).
2. Use este producto para eliminar el césped anterior y las malezas y pastos actuales.
3. Para obtener mejores resultados, aplique durante la primavera o el otoño, cuando las temperaturas diurnas sean de 60°F por lo menos.
4. Si el césped está seco, riéguelo un día sí y otro no durante una semana antes de aplicar este producto.
5. No corte el césped durante los 7 días anteriores ni posteriores al tratamiento.
6. Use 7 onzas líquidas (14 cdas. soperas) por galón de agua cada 300 pies cuadrados de área a tratar.

CONSEJOS PARA REPLANTAR

- Espere que transcurran 7 días de la última aplicación para rastrillar, cultivar o replantar con semillas o panes de césped.
- Rastrille y retire la paja o los residuos sueltos.
- Si es necesario, mezcle el fertilizante inicial y los acondicionadores para la tierra. Nivele la tierra.
- Aplique las semillas de acuerdo a las instrucciones del envase, o coloque panes de césped. Las semillas de césped deben mantener un buen contacto con la tierra para germinar y crecer.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes. Wear chemical-resistant gloves made out of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

ADVERTENCIA. Causa irritación de la piel. Causa irritación moderada a los ojos. Evite el contacto con la piel o la ropa. Evite el contacto con los ojos. Use guantes resistentes a los productos químicos hechos de cualquier material impermeable. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quítese la ropa contaminada y lávela antes de volverla a usar.

Primeros Auxilios

Si entra en contacto con la piel o la ropa: Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de urgencia.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5438.

Distributed by Spectrum Group, Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-265-8845

EPA Est. Nos. 9688-MO-1(U), 39754-WI-1(R), 79533-WI-1(BT), 58996-MO-1(AE)

11623-GA-1(CK), 11623-GA-3(CN), 39609-MO-1(BM)

Circled letter is first letter of lot number. 17-14278 © 2011 UIC